

CEILING TILE TOUCH-UP PAINT

According to WHS Regulations (Hazardous Chemicals) Amendment 2020 and ADG requirements

1. IDENTIFICATION

PRODUCT NAME: Ceiling Tile Touch-Up Paint

OTHER MEANS OF IDENTIFICATION: Not applicable

RECOMMENDED USE OF THE CHEMICAL AND RESTRICTION ON USE: Surface coating. Applied by brush, roller or spray.

DETAILS OF MANUFACTURER OR IMPORTER:

National Ceiling Systems Pty Ltd
50-52 Koornang Rd, Scoresby VIC 3179

PHONE NUMBER: 1300 627 001

EMERGENCY TELEPHONE NUMBER: Poisons Information Centre (13 11 26)

2. HAZARD(S) IDENTIFICATION

HAZARDOUS NATURE:

Not classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)

CONTAINS ISOTHIAZOLINONES. May cause an allergic skin reaction.

HAZARD SYMBOL: None

SIGNAL WORD: None

HAZARD STATEMENT: None

PRECAUTIONARY STATEMENTS: None

3. COMPOSITION AND INFORMATION ON INGREDIENTS

CHEMICAL CHARACTERISATION:

NON-HAZARDOUS COMPONENTS	
INGREDIENTS DETERMINED TO BE NON-HAZARDOUS OR BELOW REPORTING LIMITS	100%

4. FIRST AID MEASURES

If poisoning occurs, contact a doctor or Poisons Information Centre (Phone 131 126).

INHALATION: Move injured person into fresh air and keep person calm under observation. Remove contaminated clothing and loosen remaining clothing. Allow patient to assume most comfortable position and keep warm. Get medical attention if symptoms persist.

SKIN CONTACT: Rinse area with plenty of water. Get medical attention if irritation develops or persists.

EYE CONTACT: Do not rub eyes. Flush thoroughly with water. If irritation occurs, get medical assistance.

INGESTION: Rinse mouth with water. Do not induce vomiting. Get medical attention if symptoms occur.

PPE FOR FIRST AIDERS: Wear safety shoes, overalls, gloves, safety glasses. Available information suggests that gloves made from nitrile rubber should be suitable for intermittent contact. However, due to variations in glove construction and local conditions, the user should make a final assessment. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storing or re-using.

NOTES TO PHYSICIAN: Treat symptomatically.

5. FIRE FIGHTING MEASURES

HAZCHEM CODE: Not applicable.

SUITABLE EXTINGUISHING MEDIA: If material is involved in a fire use water fog (or if unavailable fine water spray), alcohol resistant foam, standard foam, dry agent (carbon dioxide, dry chemical powder).

SPECIFIC HAZARDS ARISING FROM THE CHEMICAL: Non-combustible material.

SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIRE FIGHTERS: Selection of respiratory protection for firefighting is to follow the general fire precautions indicated in the workplace. Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES: See Section 8 of the SDS for Personal Protective Equipment.

ENVIRONMENTAL PRECAUTIONS: Avoid discharge to drains, sewers, and other water systems.

SMALL SPILLS: Wear protective equipment to prevent skin and eye contamination. Avoid inhalation of vapours or dust. Wipe up with absorbent (clean rag or paper towels). Collect and seal in properly labelled containers or drums for disposal.

LARGE SPILLS: Clear area of all unprotected personnel. Slippery when spilt. Avoid accidents, clean up immediately. Wear protective equipment to prevent skin and eye contamination and the inhalation of vapours. Work up wind or increase ventilation. Contain - prevent run off into drains and waterways. Use absorbent (soil, sand or other inert material). Collect and seal in properly labelled containers or drums for disposal. If contamination of crops, sewers or waterways has occurred advise local emergency services.

Dangerous Goods - Initial Emergency Response Guide No: Not applicable

7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING: Avoid eye contact and repeated or prolonged skin contact. Avoid inhalation of vapour, mist or aerosols.

CONDITIONS FOR SAFE STORAGE: Store in a cool, dry and well-ventilated area. Store away from incompatible materials. Store away from sources of heat and/or ignition. Keep container upright; and closed when not in use – check regularly for leaks.

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

NATIONAL OCCUPATIONAL EXPOSURE LIMITS: No value assigned for this specific material by Safe Work Australia.

BIOLOGICAL LIMIT VALUES: As per the "National Model Regulations for the Control of Workplace Hazardous Substances (Safe Work Australia)" the ingredients in this material do not have a Biological Limit Allocated.

ENGINEERING CONTROLS: Natural ventilation should be adequate under normal use conditions.

PERSONAL PROTECTION EQUIPMENT: Safety shoes, overalls, gloves, safety glasses. Wear safety shoes, overalls, gloves, safety glasses. Available information suggests that gloves made from nitrile rubber should be suitable for intermittent contact. However, due to variations in glove construction and local conditions, the user should make a final assessment.

HYGIENE MEASURES: Keep away from food, drink and animal feeding stuffs. When using do not eat, drink or smoke. Wash hands prior to eating, drinking or smoking. Avoid contact with clothing. Avoid eye contact and repeated or prolonged skin contact. Avoid inhalation of vapour, mist or aerosols. Ensure that eyewash stations and safety showers are close to the workstation location

GENERAL HYGIENE CONSIDERATIONS: Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Observe any medical surveillance requirements.

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL AND CHEMICAL PROPERTIES	
Form	Liquid
Colour	White
Odour	Characteristic
pH Value	Not applicable
Melting Point/Freezing Point	Not applicable
Initial Boiling Point/Boiling Range	Not applicable
Flash Point	Not applicable

Flammability	No applicable
Auto-Ignition Temperature	Not determined
Explosion Limits - Lower	Not applicable
Explosion Limits - Upper	Not applicable
Vapour Pressure	Not applicable
Vapour Density	(air =1), >1
Specific Gravity	1.301
Solubility in Water	Miscible with water
Viscosity	>20.5mm ² /s @ 40°C
VOC (Weight %)	Not applicable
Formaldehyde Emissions	Complies with Class E1 for Formaldehyde Emissions

10. STABILITY AND REACTIVITY

CHEMICAL STABILITY: Material is thermally stable when stored and used as directed.

CONDITIONS TO AVOID: Elevated temperatures and sources of ignition.

INCOMPATIBLE MATERIALS: Oxidizing agents.

HAZARDOUS DECOMPOSITION PRODUCTS: Oxides of carbon and nitrogen, smoke and other toxic fumes.

HAZARDOUS REACTIONS: No known hazardous reactions.

11. TOXICOLOGICAL INFORMATION

HEALTH EFFECTS: Not expected to pose a risk to health under normal conditions of use. If product is not handled correctly or there is prolonged exposure the following effects could be realised:

INHALATION: Material may be an irritant to mucous membranes and respiratory tract.

SKIN: Contact with skin may result in irritation.

EYE: May be an eye irritant.

INGESTION: Swallowing can result in nausea, vomiting and irritation of the gastrointestinal tract.

ACUTE TOXICITY

INHALATION: This material has been classified as not hazardous for acute inhalation exposure. Acute toxicity estimate (based on ingredients): LC50 > 20.0 mg/L for vapours or LC50 > 5.0 mg/L for dust and mist.

SKIN CONTACT: This material has been classified as not hazardous for acute dermal exposure. Acute toxicity estimate (based on ingredients): LD50 > 2,000 mg/Kg bw

INGESTION: This material has been classified as not hazardous for acute ingestion exposure. Acute toxicity estimate (based on ingredients): LD50 > 2,000 mg/Kg bw

CORROSION / IRRITANCY: Eye: this material has been classified as not corrosive or irritating to eyes. Skin: this material has been classified as not corrosive or irritating to skin.

SENSITISATION: Inhalation: this material has been classified as not a respiratory sensitiser. Skin: this material has been classified as not a skin sensitiser.

ASPIRATION HAZARD: This material has been classified as not an aspiration hazard.

CARCINOGENICITY: This material has been classified as not a carcinogen.

MUTAGENICITY: This material has been classified as not a mutagen.

REPRODUCTIVE TOXICITY: Not classified.

SPECIFIC TARGET ORGAN TOXICITY (STOT) - SINGLE EXPOSURE: This material has been classified as not a specific hazard to target organs by a single exposure.

SPECIFIC TARGET ORGAN TOXICITY (STOT) - REPEATED EXPOSURE: This material has been classified as not a specific hazard to target organs by repeat exposure.

12. ECOLOGICAL INFORMATION

ECOTOXICITY: No information available.

AQUATIC TOXICITY: This material has been classified as not hazardous for acute aquatic exposure. Acute toxicity estimate (based on ingredients): > 100 mg/L.

LONG-TERM AQUATIC HAZARD: This material has been classified as a 9.1C Hazard. Acute toxicity estimate (based on ingredients): 10-100 mg/L.

PERSISTENCE AND DEGRADABILITY: No further relevant information available.

BIOACCUMULATIVE POTENTIAL: Bioaccumulation is not expected.

MOBILITY IN SOIL: No further relevant information available.

OTHER ADVERSE EFFECTS: None expected.

13. DISPOSAL CONSIDERATIONS

DISPOSAL METHODS AND CONTAINERS: Persons conducting disposal, recycling or reclamation activities should ensure that appropriate personal protection equipment is used, see "Section 8. Exposure Controls and Personal Protection" of this

SDS. If possible material and its container should be recycled. If material or container cannot be recycled, dispose in accordance with local, regional, national and international Regulations.

SPECIAL PRECAUTIONS FOR LANDFILL OR INCINERATION: Please consult your state or local Land Waste Management Authority for more information.

14. TRANSPORT INFORMATION

ROAD AND RAIL TRANSPORT: Not classified as Dangerous Goods by the criteria of the "Australian Code for the Transport of Dangerous Goods by Road & Rail" and the "New Zealand NZS5433: Transport of Dangerous Goods on Land".

MARINE TRANSPORT: Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.

AIR TRANSPORT: Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.

15. REGULATORY INFORMATION

This material is not subject to the following international agreements:

Montreal Protocol (Ozone depleting substances)

The Stockholm Convention (Persistent Organic Pollutants)

The Rotterdam Convention (Prior Informed Consent)

Basel Convention (Hazardous Waste)

International Convention for the Prevention of Pollution from Ships (MARPOL)

This material/constituent(s) is covered by the following requirements:

The Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) established under the Therapeutic Goods Act (Commonwealth): Not Applicable.

AICIS Status: All components of this product are listed on or exempt from the Australian Inventory of Industrial Chemicals (AIIC).

NZ EPA Status: All components of this product are listed on or exempt from the New Zealand Inventory of Chemical (NZIoC).

HSNO Group Standard: HSR002670 - Surface Coatings and Colourants (Subsidiary Hazard) Group Standard 2020

16. OTHER INFORMATION

DATE OF PREPARATION OR LAST REVISION: 03 April 2025

PREPARED BY: National Ceiling Systems

ABBREVIATIONS AND ACRONYMS:

CAS: Chemical Abstracts Service (division of the American Chemical Society)

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

IARC: International Agency for Research on Cancer

NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards for Airborne Contaminants)

STEL: Short Term Exposure Limit

TWA: Time Weighted Average

VOC: Volatile Organic Compounds

GENERAL: Product has been independently tested by a certified Laboratory and this Safety Data Sheet reflects those findings.

FURTHER INFORMATION

Safety Data Sheets are updated frequently. Please ensure that you have a current copy. This SDS summarises at the date of issue our best knowledge of the health and safety hazard information of the product, and in particular how to safely handle and use the product in the workplace. Since the company cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, review this SDS in the context of how the user intends to handle and use the product in the workplace. If clarification or further information is needed to ensure that an appropriate assessment can be made, the user should contact this company.

DISCLAIMER

This SDS is prepared in accord with the Safe Work Australia document "Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - June 2023". The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. National Ceiling Systems Pty Ltd makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in

this material safety data sheet. Global Compliance is not able to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the circumstances in which the product is used.